Available online at www.sciencedirect.com
SCIENCE DIRECT®
Hearing Research 191 (2004) 135
HEARING RESEARCH
www.elsevier.com/locate/heares

Author Index Volume 191

Antonio, J.V., see Saberi, K. (191) 1

Carr, C.E., see Tang, Y.-Z. (191) 79
Cazals, Y., see Hadjab, S. (191) 125
Coomes, D.L. and Schofield, B.R.
Separate projections from the inferior colliculus to the cochlear nucleus and thalamus in guinea pigs (191) 67

Elbert, T., see Weisz, N. (191) 49
Erway, L.C., see Jones, S.M. (191) 34

Getzmann, S.
Spatial discrimination of sound sources in the horizontal plane following an adapter sound (191) 14

Hadjab, S., Maurel, D., Cazals, Y. and Siaud, P.
Hexachlorobenzene, a dioxin-like compound, disrupts auditory function in rat (191) 125
Henzl, M.T., Thalmann, I., Larson, J.D., Ignatova, E.G. and Thalmann, R.
The cochlear F-box protein OCP1 associates with OCP2 and connexin 26 (191) 101
Hoffmeister, S., see Weisz, N. (191) 49
Husain, K., Scott, B., Whitworth, C. and Rybak, L.P.
Time response of carboplatin-induced hearing loss in rat (191) 110

Ignatova, E.G., see Henzl, M.T. (191) 101
Ito, T., Tokuriki, M., Shibamori, Y., Saito, T. and Nojyo, Y.
Cochlear nerve demyelination causes prolongation of wave I latency in ABR of the myelin deficient (md) rat (191) 119

Johnson, K.R., see Jones, S.M. (191) 34
Jones, T.A., see Jones, S.M. (191) 34
Jones, S.M., Erway, L.C., Johnson, K.R., Yu, H. and Jones, T.A.
Gravity receptor function in mice with graded otoconial deficiencies (191) 34
Junker, R., see Rudack, C. (191) 41

Langer, C., see Rudack, C. (191) 41
Larson, J.D., see Henzl, M.T. (191) 101
Lui, B., see Mendelson, J.R. (191) 21

Maurel, D., see Hadjab, S. (191) 125
Mendelson, J.R. and Lui, B.
The effects of aging in the medial geniculate nucleus: a comparison with the inferior colliculus and auditory cortex (191) 21

Nojyo, Y., see Ito, T. (191) 119

Petrosyan, A., see Saberi, K. (191) 1

Rask-Andersen, H., see Salt, A.N. (191) 90
Rudack, C., Langer, C. and Junker, R.
Platelet GPIaC807T polymorphism is associated with negative outcome of sudden hearing loss (191) 41
Rybak, L.P., see Husain, K. (191) 110

Saberi, K., Antonio, J.V. and Petrosyan, A.
A population study of the precedence effect (191) 1
Saito, T., see Ito, T. (191) 119
Salt, A.N. and Rask-Andersen, H.
Responses of the endolymphatic sac to perilymphatic injections and withdrawals: evidence for the presence of a one-way valve (191) 90
Schofield, B.R., see Coomes, D.L. (191) 67
Scott, B., see Husain, K. (191) 110
Shibamori, Y., see Ito, T. (191) 119
Siaud, P., see Hadjab, S. (191) 125

Tang, Y.-Z. and Carr, C.E.
Development of NMDA R1 expression in chicken auditory brainstem (191) 79
Thalmann, I., see Henzl, M.T. (191) 101
Thalmann, R., see Henzl, M.T. (191) 101
Tokuriki, M., see Ito, T. (191) 119

Wang, C.-T. and Young, Y.-H.
Earlier and later components of tone burst evoked myogenic potentials (191) 59
Weisz, N., Wienbruch, C., Hoffmeister, S. and Elbert, T.
Tonotopic organization of the human auditory cortex probed with frequency-modulated tones (191) 49
Whitworth, C., see Husain, K. (191) 110
Wienbruch, C., see Weisz, N. (191) 49

Young, Y.-H., see Wang, C.-T. (191) 59
Yu, H., see Jones, S.M. (191) 34

doi:10.1016/S0378-5955(04)00110-8

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Hearing Research 191 (2004) 137–139
HEARING RESEARCH
www.elsevier.com/locate/heares

Subject Index Volume 191

Aging
Frequency modulated sweeps, Auditory cortex, Inferior colliculus, Medial geniculate, Nucleus (Mendelson, J.R. (191) 21)

Auditory adaptation
Sound localization, Spatial discrimination (Getzmann S. (191) 14)

Auditory brainstem responses
Myelin deficient, Distortion product of otoacoustic emission, Ultrastructure, Cochlea, CNS–PNS junction (Ito, T. (191) 119)

Auditory cortex
Aging, Frequency modulated sweeps, Inferior colliculus, Medial geniculate, Nucleus (Mendelson, J.R. (191) 21)

Auditory system
Neuroanatomy, Collateral, Efferent, Medial geniculate body (Coomes, D.L. (191) 67)

Binaural acoustic stimulation
Earlier component, Later component, Monaural acoustic stimulation, Vestibular evoked myogenic potential, Tone burst (Wang, C.-T. (191) 59)

Carboplatin
Oxidative injury, Hearing loss, Cochlea, Rat (Husain, K. (191) 110)

CNS–PNS junction
Myelin deficient, Auditory brainstem responses, Distortion product of otoacoustic emission, Ultrastructure, Cochlea (Ito, T. (191) 119)

Cochlea
Carboplatin, Oxidative injury, Hearing loss, Rat (Husain, K. (191) 110)

Myelin deficient, Auditory brainstem responses, Distortion product of otoacoustic emission, Ultrastructure, CNS–PNS junction (Ito, T. (191) 119)

Hexachlorobenzene, Hearing loss, Ototoxicity, Thyroid hormone, Rat (Hadjab, S. (191) 125)

Cochlear nuclei
Nucleus angularis, Nucleus magnocellularis, Nucleus laminaris, Superior olive, Tonotopic gradient (Tang, Y.-Z. (191) 79)

Collateral
Auditory system, Neuroanatomy, Efferent, Medial geniculate body (Coomes, D.L. (191) 67)

Discrimination suppression
Echo, Precedence, Population (Saberi, K. (191) 1)

Distortion product of otoacoustic emission
Myelin deficient, Auditory brainstem responses, Ultrastructure, Cochlea, CNS–PNS junction (Ito, T. (191) 119)

Earlier component
Later component, Monaural acoustic stimulation, Binaural acoustic stimulation, Vestibular evoked myogenic potential, Tone burst (Wang, C.-T. (191) 59)

Echo
Discrimination suppression, Precedence, Population (Saberi, K. (191) 1)

Efferent
Auditory system, Neuroanatomy, Collateral, Medial geniculate body (Coomes, D.L. (191) 67)

Endolymphatic hydrops
Endolymphatic sinus, Saccule, Meniere's disease (Salt, A.N. (191) 90)

Endolymphatic sinus
Endolymphatic hydrops, Saccule, Meniere's disease (Salt, A.N. (191) 90)

Frequency modulated sweeps
Aging, Auditory cortex, Inferior colliculus, Medial geniculate, Nucleus (Mendelson, J.R. (191) 21)

GPIa C807T
Sudden sensorineural hearing loss, Thrombophilia, GPIIIa PIA1/A2 PAI-1, Risk factor (Rudack, C. (191) 41)

GPIIIa PIA1/A2 PAI-1
Sudden sensorineural hearing loss, Thrombophilia, GPIa C807T, Risk factor (Rudack, C. (191) 41)

Hearing loss
Carboplatin, Oxidative injury, Cochlea, Rat (Husain, K. (191) 110)

Hexachlorobenzene, Ototoxicity, Cochlea, Thyroid hormone, Rat (Hadjab, S. (191) 125)

Hexachlorobenzene
Hearing loss, Ototoxicity, Cochlea, Thyroid hormone, Rat (Hadjab, S. (191) 125)

High-resolution
Tonotopy, MEG, LME (Weisz, N. (191) 49)

Inferior colliculus
Aging, Frequency modulated sweeps, Auditory cortex, Medial geniculate, Nucleus (Mendelson, J.R. (191) 21)

doi:10.1016/S0378-5955(04)00111-X

Later component
Earlier component, Monaural acoustic stimulation, Binaural acoustic stimulation, Vestibular evoked myogenic potential, Tone burst (Wang, C.-T. (191) 59)

Lethal milk
Otolith organs, Tilted, Pallid, Muted, Mocha, Vestibular compound action potentials (Jones, S.M. (191) 34)

LME
Tonotopy, MEG, High-resolution (Weisz, N. (191) 49)

Medial geniculate
Aging, Frequency modulated sweeps, Auditory cortex, Inferior colliculus, Nucleus (Mendelson, J.R. (191) 21)

Medial geniculate body
Auditory system, Neuroanatomy, Collateral, Efferent (Coomes, D.L. (191) 67)

MEG
Tonotopy, High-resolution, LME (Weisz, N. (191) 49)

Meniere's disease
Endolymphatic hydrops, Endolymphatic sinus, Saccule (Salt, A.N. (191) 90)

Mocha
Otolith organs, Lethal milk, Tilted, Pallid, Muted, Vestibular compound action potentials (Jones, S.M. (191) 34)

Monaural acoustic stimulation
Earlier component, Later component, Binaural acoustic stimulation, Vestibular evoked myogenic potential, Tone burst (Wang, C.-T. (191) 59)

Muted
Otolith organs, Lethal milk, Tilted, Pallid, Mocha, Vestibular compound action potentials (Jones, S.M. (191) 34)

Myelin deficient
Auditory brainstem responses, Distortion product of otoacoustic emission, Ultrastructure, Cochlea, CNS–PNS junction (Ito, T. (191) 119)

Neuroanatomy
Auditory system, Collateral, Efferent, Medial geniculate body (Coomes, D.L. (191) 67)

Nucleus
Aging, Frequency modulated sweeps, Auditory cortex, Inferior colliculus, Medial geniculate (Mendelson, J.R. (191) 21)

Nucleus angularis
Cochlear nuclei, Nucleus magnocellularis, Nucleus laminaris, Superior olive, Tonotopic gradient (Tang, Y.-Z. (191) 79)

Nucleus laminaris
Cochlear nuclei, Nucleus angularis, Nucleus magnocellularis, Superior olive, Tonotopic gradient (Tang, Y.-Z. (191) 79)

Nucleus magnocellularis
Cochlear nuclei, Nucleus angularis, Nucleus laminaris, Superior olive, Tonotopic gradient (Tang, Y.-Z. (191) 79)

Otolith organs
Lethal milk, Tilted, Pallid, Muted, Mocha, Vestibular compound action potentials (Jones, S.M. (191) 34)

Ototoxicity
Hexachlorobenzene, Hearing loss, Cochlea, Thyroid hormone, Rat (Hadjab, S. (191) 125)

Oxidative injury
Carboplatin, Hearing loss, Cochlea, Rat (Husain, K. (191) 110)

Pallid
Otolith organs, Lethal milk, Tilted, Muted, Mocha, Vestibular compound action potentials (Jones, S.M. (191) 34)

Population
Discrimination suppression, Echo, Precedence (Saberi, K. (191) 1)

Precedence
Discrimination suppression, Echo, Population (Saberi, K. (191) 1)

Rat
Carboplatin, Oxidative injury, Hearing loss, Cochlea (Husain, K. (191) 110)

Hexachlorobenzene, Hearing loss, Ototoxicity, Cochlea, Thyroid hormone (Hadjab, S. (191) 125)

Risk factor
Sudden sensorineural hearing loss, Thrombophilia, GPIa C807T, GPIIIa PIA1/A2 PAI-1 (Rudack, C. (191) 41)

Saccule
Endolymphatic hydrops, Endolymphatic sinus, Meniere's disease (Salt, A.N. (191) 90)

Sound localization
Spatial discrimination, Auditory adaptation (Getzmann S. (191) 14)

Spatial discrimination
Sound localization, Auditory adaptation (Getzmann S. (191) 14)

Sudden sensorineural hearing loss
Thrombophilia, GPIa C807T, GPIIIa PIA1/A2 PAI-1, Risk factor (Rudack, C. (191) 41)

Superior olive
Cochlear nuclei, Nucleus angularis, Nucleus magnocellularis, Nucleus laminaris, Tonotopic gradient (Tang, Y.-Z. (191) 79)

Thrombophilia
Sudden sensorineural hearing loss, GPIa C807T, GPIIIa PIA1/A2 PAI-1, Risk factor (Rudack, C. (191) 41)

Thyroid hormone
Hexachlorobenzene, Hearing loss, Ototoxicity, Cochlea, Rat (Hadjab, S. (191) 125)

Tilted
Otolith organs, Lethal milk, Pallid, Muted, Mocha, Vestibular compound action potentials (Jones, S.M. (191) 34)

Tone burst
Earlier component, Later component, Monaural acoustic stimulation, Binaural acoustic stimulation, Vestibular evoked myogenic potential (Wang, C.-T. (191) 59)

Tonotopic gradient
Cochlear nuclei, Nucleus angularis, Nucleus magnocellularis, Nucleus laminaris, Superior olive (Tang, Y.-Z. (191) 79)

Tonotopy
MEG, High-resolution, LME (Weisz, N. (191) 49)

Ultrastructure
Myelin deficient, Auditory brainstem responses, Distortion product of otoacoustic emission, Cochlea, CNS–PNS junction (Ito, T. (191) 119)

Vestibular compound action potentials
Otolith organs, Lethal milk, Tilted, Pallid, Muted, Mocha (Jones, S.M. (191) 34)

Vestibular evoked myogenic potential
Earlier component, Later component, Monaural acoustic stimulation, Binaural acoustic stimulation, Tone burst (Wang, C.-T. (191) 59)